



## RocketPort® EXPRESS 8-Port SMPTE Rackmount Interface

Part Number: 31315-1

ROCKETPORT

### KEY FEATURES AND BENEFITS

- Works with RocketPort EXPRESS SMPTE Card
- Provides eight SMPTE 207M expansion ports
- DB9F connectors
- Convenient 1U rackmount design
- Rugged steel housing
- 13 ft. cable length



### PRODUCT DESCRIPTION

Flexible, reliable and high-speed multiport serial expansion

The RocketPort EXPRESS 8-Port SMPTE Rackmount Interface provides eight ports of serial connectivity when used with the RocketPort EXPRESS 8-Port SMPTE Card (31320-5). This SMPTE interface is designed to provide SMPTE expansion ports without the clutter and hassle of fan-out cables or multiple interface connectors. It can be stacked or rack mounted, providing a streamlined installation.

The RocketPort EXPRESS 8-Port SMPTE Rackmount Interface provides the equipment interface portion of an overall broadcast system, allowing interconnection of programmable and nonprogrammable control and accessory equipment. It allows rapid reconfiguration of a system utilizing up to eight

pieces of equipment. In addition to easy configuration, the 8-Port SMPTE Rackmount Interface supports installation up to 13 feet away from the host PC for optimum flexibility.

The SMPTE (Society of Motion Picture and Television Engineers) connections comply with the ANSI/SMPTE 207M-1997 Television –Digital Control Interface – Electrical and Mechanical Characteristics Standard. The RocketPort SMPTE product family supports the SMPTE interface system used for the transfer of data and digital control signals. This system allows the connection of production, post-production and/or data transmission equipment, such as video routers, servers, tape decks, keyboards, dimmer racks, video monitors, headphones and broadcast mixing consoles. See back page for a network diagram.



connect. communicate. control.

# ROCKETPORT SPECIFICATIONS

## HARDWARE

Number of Ports	8
Connector Type	DB9F
Interface Dimensions	
with mounting brackets	19.0" x 1.7" x 1.7"
Cable Length	13' (160')
Compatible With	
31320-5 RocketPort EXPRESS SMPTE 8-Port Card	
Product Weight	2.75 lbs

## EXPORT INFORMATION

Packaged Shipping Weight	3.80 lbs
Package Dimensions	21.63" x 6.75" x 3.5"
UPC Code	7-56727-31315-1
ECCN	EAR99
Schedule B Number	8471.80.1000

## REGULATORY APPROVALS

(When used with the RocketPort EXPRESS SMPTE Card)



## REGULATORY STANDARDS

### Immunity


- European Standard EN55024
- IEC 1000-4-2/EN61000-4-2: ESD
- IEC 1000-4-3/EN61000-4-3: RF
- IEC 1000-4-4/EN61000-4-4: Fast Transient
- IEC 1000-4-5/EN61000-4-5: Surge
- IEC 1000-4-6/EN61000-4-6: Conducted Disturbance
- IEC 1000-4-8/EN61000-4-8: Magnetic Field
- IEC 1000-4-11/EN61000-4-11: Dip and Voltage

### Emission

- CANADIAN EMC REQUIREMENTS ICES-003: 1997 ICES-003
- European Standard EN 55022: FCC Part 15 Subpart B: Class B limit
- AS/NZS-3548

### Safety

- IEC 60950/EN60950
- CSA C22.2 No. 60950/UL60950, Third Edition
- European Standard: RoHS 2 compliant under CE



## Warranty Information

Comtrol offers a 30-day satisfaction guarantee and 5-year limited warranty.

## Sales Support

+1.763.957.6000  
sales@comtrol.com

## Technical Support

+1.763.957.6000  
www.comtrol.com/  
support

## Email, FTP, and Web Support

info@comtrol.com  
ftp.comtrol.com  
www.comtrol.com