



RocketPort® EXPRESS 8-Port SMPTE Interface

Part Number: 31325-0



ROCKETPORT

KEY FEATURES AND BENEFITS

- Works with RocketPort EXPRESS SMPTE Card
- Provides eight SMPTE 207M expansion ports
- Quick install
- 9 ft. cable length
- DB9F connectors
- Rugged steel housing
- Easy panel mounting

PRODUCT DESCRIPTION

Flexible, reliable and high-speed multiport serial expansion

The RocketPort EXPRESS 8-Port SMPTE Interface provides eight ports of serial connectivity when used with the RocketPort EXPRESS 8-Port SMPTE Card (31320-5).

The RocketPort EXPRESS 8-Port SMPTE Interface provides the equipment interface portion of an overall broadcast system, allowing interconnection of programmable and nonprogrammable control and accessory equipment. It allows rapid reconfiguration of a system utilizing up to eight pieces of equipment. In addition to easy configuration, the 8-Port SMPTE Interface supports convenient mounting at locations up to 9 feet away from the host PC for optimum flexibility.

The SMPTE (Society of Motion Picture and Television Engineers) connections comply with the ANSI/SMPTE 207M-1997 Television –Digital Control Interface – Electrical and Mechanical Characteristics Standard. The RocketPort SMPTE product family supports the SMPTE interface system used for the transfer of data and digital control signals. This system allows the connection of production, post-production and/or data transmission equipment, such as video routers, servers, tape decks, keyboards, dimmer racks, video monitors, headphones and broadcast mixing consoles. See back page for a network diagram.



connect. communicate. control.

ROCKETPORT SPECIFICATIONS

HARDWARE

| | |
|--|--------------------|
| Number of Ports | 8 |
| Connector Type | DB9F |
| Interface Dimensions | 4.0" x 3.7" x 1.1" |
| Cable Length | 9' (108") |
| Compatible With | |
| 31320-5 RocketPort EXPRESS SMPTE 8-Port Card | |
| Product Weight | 1.45 lbs |

EXPORT INFORMATION

| | |
|--------------------------|----------------------|
| Packaged Shipping Weight | 2.05 lbs |
| Package Dimensions | 9.19" x 7.25" x 2.5" |
| UPC Code | 7-56727-31325-0 |
| ECCN | EAR99 |
| Schedule B Number | 8471.80.1000 |

REGULATORY APPROVALS

(When used with the RocketPort EXPRESS SMPTE Card)



REGULATORY STANDARDS

Immunity


- European Standard EN55024
- IEC 1000-4-2/EN61000-4-2: ESD
- IEC 1000-4-3/EN61000-4-3: RF
- IEC 1000-4-4/EN61000-4-4: Fast Transient
- IEC 1000-4-5/EN61000-4-5: Surge
- IEC 1000-4-6/EN61000-4-6: Conducted Disturbance
- IEC 1000-4-8/EN61000-4-8: Magnetic Field
- IEC 1000-4-11/EN61000-4-11: Dip and Voltage

Emission

- CANADIAN EMC REQUIREMENTS ICES-003: 1997 ICES-003
- European Standard EN 55022: FCC Part 15 Subpart B: Class B limit
- AS/NZS-3548

Safety

- IEC 60950/EN60950
- CSA C22.2 No. 60950/UL60950, Third Edition
- European Standard: RoHS 2 compliant under CE



Warranty Information

Comtrol offers a 30-day satisfaction guarantee and 5-year limited warranty.

Sales Support

+1.763.957.6000
sales@comtrol.com

Technical Support

+1.763.957.6000
www.comtrol.com/
support

Email, FTP, and Web Support

info@comtrol.com
ftp.comtrol.com
www.comtrol.com